

This safety data sheet was created pursuant to the requirements of:

Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008 This SDS is for generic information purposes and does not reflect required country specific

information for OEL

PREMIUMFOL EPDM ADHESIVE & SEALANT

Revision date 23-Nov-2020 Supercedes Date: 24-Nov-2020 **Revision Number 1** 

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product Identifier

PREMIUMFOL EPDM ADHESIVE & SEALANT **Product Name** 

Pure substance/mixture Mixture

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended use Adhesives and/or sealants.

Uses advised against Not to be used in production of toys or childcare articles.

#### 1.3. Details of the supplier of the safety data sheet

Berdal Rubber & Plastics B.V. Bedrijvenpark Twente 193 7602 KG Almelo Nederland

Tel: +31 (0)546 572672 Fax:+31 (0)546 575635

E-Mail:verkoop@berdal.com

#### 1.4. Emergency telephone number

Emergency Telephone: +31 (0)546-572 672 (Mon - Fri 08:00 - 17:00) (Office hours)

## **SECTION 2: Hazards identification**

## 2.1. Classification of the substance or mixture

Regulation (EC) No 1272/2008

Not classified

#### 2.2. Label Elements

Not classified

#### Signal word

None

#### **Hazard statements** Not

classified

#### **EU Specific Hazard Statements**

EUH208 - Contains Dioctyltinbis(acetylacetonate). May produce an allergic reaction

EUH210 - Safety data sheet available on request

Europe - EN Page 1/13

Revision date 23-Nov-2020

#### PREMIUMFOL EPDM ADHESIVE & SEALANT

Supercedes Date: 24-Nov-2020 Revision Number 1

2.3. Other Hazards

Small amounts of methanol (CAS 67-56-1) are formed by hydrolysis and released upon curing

#### PBT & vPvB

This mixture contains no substance considered to be persistent, bioaccumulating or toxic (PBT). This mixture contains no substance considered to be very persistent nor very bioaccumulating (vPvB).

## **SECTION 3: Composition/information on ingredients**

#### 3.1 Substances

Not applicable

#### 3.2 Mixtures

Chemical name	EC No.	CAS No	Weight-%	Classification according to Regulation (EC) No. 1272/2008 [CLP]	Specific concentration limit (SCL)	REACH Registration Number
Trimethoxyvinylsilane	220-449-8	2768-02-7	1 - <2.5	Acute Tox. 4 (H332) Flam. Liq. 3 (H226)		01- 211951321552- XXXX
Dioctyltinbis(acetylaceto nate)	483-270-6	54068-28-9	0.1- <1	STOT SE 2 (H371) Skin Sens. 1 (H317)	Skin Sens. 1 :: C>=5%	01- 000002019967- XXXX

## Full text of H- and EUH-phrases: see section 16

Note: ^ indicates not classified, however, the substance is listed in section 3 as it has an OEL

This product does not contain candidate substances of very high concern at a concentration >=0.1% (Regulation (EC) No. 1907/2006 (REACH), Article 59)

#### **SECTION 4: First aid measures**

#### 4.1. Description of first aid measures

General advice If medical advice is needed, have product container or label at hand. Show this safety

data sheet to the doctor in attendance.

**Inhalation** Remove to fresh air. If symptoms persist, call a doctor.

Eye contact Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.

Remove contact lenses, if present and easy to do. Continue rinsing.

**Skin contact**Wash skin with soap and water. In the case of skin irritation or allergic reactions see a

doctor.

Ingestion Call a doctor immediately. If swallowed, rinse mouth with water (only if the person is

conscious). Small amounts of toxic methanol are released by hydrolysis.

#### 4.2. Most important symptoms and effects, both acute and delayed

Symptoms None known.

Europe - EN Page 2/13

Revision date 23-Nov-2020

#### PREMIUMFOL EPDM ADHESIVE & SEALANT

Supercedes Date: 24-Nov-2020 Revision Number 1

#### 4.3. Indication of any immediate medical attention and special treatment needed

Note to doctors Small amounts of methanol (CAS 67-56-1) are formed by hydrolysis and released upon

curing. Treat symptomatically.

## **SECTION 5: Firefighting measures**

#### 5.1. Extinguishing media

Suitable extinguishing media Water spray, carbon dioxide (CO2), dry chemical, alcohol-resistant foam.

Unsuitable extinguishing media Full water jet.

#### 5.2. Special hazards arising from the substance or mixture

Specific hazards arising from the Thermal decomposition can lead to release of irritating gases and vapours. chemical

Hazardous combustion products Carbon monoxide. Carbon dioxide (CO2). Hydrocarbons.

5.3. Advice for firefighters

Special protective equipment for

fire-fighters

Wear self-contained breathing apparatus for firefighting if necessary.

#### **SECTION 6: Accidental release measures**

#### 6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions Use personal protective equipment as required. Ensure adequate ventilation. Do not get

in eyes, on skin, or on clothing.

Other information Ventilate the area. Prevent further leakage or spillage if safe to do so.

For emergency responders

Use personal protection recommended in Section 8.

6.2. Environmental precautions

Environmental precautions Prevent product from entering drains. Do not allow to enter into soil/subsoil. See Section

12 for additional Ecological Information.

6.3. Methods and material for containment and cleaning up

**Methods for containment** Do not scatter spilled material with high pressure water streams.

**Methods for cleaning up**Take up mechanically, placing in appropriate containers for disposal.

6.4. Reference to other sections

**Reference to other sections** See section 8 for more information. See section 13 for more information.

## **SECTION 7: Handling and storage**

#### 7.1. Precautions for safe handling

Advice on safe handling Ensure adequate ventilation. Use personal protective equipment as required. Avoid

contact with skin, eyes or clothing.

General hygiene considerations Do not eat, drink or smoke when using this product. Wash hands before breaks and after

work.

Europe - EN Page 3/13

Revision date 23-Nov-2020

## PREMIUMFOL EPDM ADHESIVE & SEALANT

Supercedes Date: 24-Nov-2020 Revision Number 1

#### 7.2. Conditions for safe storage, including any incompatibilities

Storage Conditions Keep at temperatures between 5 and 35 °C. Keep away from food, drink and animal

feedingstuffs. Protect from moisture.

#### 7.3. Specific end use(s)

Specific Use(s)

Adhesives and/or sealants.

Risk Management Methods (RMM) The information required is contained in this Safety Data Sheet.

Other information Observe technical data sheet.

## **SECTION 8: Exposure controls/personal protection**

#### 8.1. Control parameters

**Exposure Limits** Small amounts of methanol (CAS 67-56-1) are formed by hydrolysis and released upon

curing

Only European Community Occupational Exposure Limits will be shown in this document. Please refer to regional SDS for further information.

Chemical name	European Union
Methyl alcohol 67-56-	TWA: 200 ppm
1	TWA: 260 mg/m <sup>3</sup>
	*

Derived No Effect Level (DNEL) No information available

Derived No Effect Level (DNEL)								
Trimethoxyvinylsilane (2768-02-7)								
Туре	Exposure route	Derived No Effect Level (DNEL)	Safety factor					
worker Systemic health effects Long term	Inhalation	27,6 mg/m³						
worker Systemic health effects Long term	Dermal	3,9 mg/kg bw/d						

Dioctyltinbis(acetylacetonate) (54068-28-9)							
Туре	Exposure route	Derived No Effect Level (DNEL)	Safety factor				
Long term Systemic health effects worker	Dermal	0.07 mg/kg bw/d					
Long term Systemic health effects worker	Inhalation	84 mg/m³					
Short term Systemic health effects worker	Inhalation	84 mg/m³					

Europe - EN Page 4/13

## PREMIUMFOL EPDM ADHESIVE & SEALANT

Supercedes Date: 24-Nov-2020 Revision Number 1

Revision date 23-Nov-2020

Long term	Inhalation	0.091 mg/m <sup>3</sup>	
Short term			
Local health effects			
worker			

Derived No Effect Level (DNEL)								
Trimethoxyvinylsilane (2768	Trimethoxyvinylsilane (2768-02-7)							
Туре	Exposure route	Derived No Effect Level (DNEL)	Safety factor					
Consumer Systemic health effects Long term	Inhalation	18,9 mg/m³						
Consumer Systemic health effects Long term	Dermal	7,8 mg/kg bw/d						
Consumer Systemic health effects Long term	Oral	0,3 mg/kg bw/d						

# Predicted No Effect Concentration No information available. (PNEC)

Predicted No Effect Concentration (PNEC)	
Trimethoxyvinylsilane (2768-02-7)	
Environmental compartment	Predicted No Effect Concentration (PNEC)
Freshwater	0.34 mg/l
Marine water	0.034 mg/l
Microorganisms in sewage treatment	110 mg/l

Dioctyltinbis(acetylacetonate) (54068-28-9)					
Environmental compartment	Predicted No Effect Concentration (PNEC)				
Freshwater	26 μg/l				
Marine water	2.6 µg/l				
Freshwater - intermittent	260 μg/l				
Sewage treatment plant	1 mg/l				
Freshwater sediment	0.155 mg/kg dry weight				
Marine sediment	0.0155 mg/kg dry weight				
Soil	0.0158 mg/kg dry weight				

#### 8.2. Exposure controls

**Engineering controls** Ensure adequate ventilation, especially in confined areas.

**Personal Protective Equipment** 

**Eye/face protection** Wear safety glasses with side shields (or goggles). Eye protection must conform to

standard EN 166

**Hand protection** Wear suitable gloves. Recommended Use:. Neoprene™. Nitrile rubber. Butyl rubber.

Glove thickness > 0.7mm. The breakthrough time for the mentioned glove material is in general greater than 480 min. Ensure that the breakthrough time of the glove material is not exceeded. Refer to glove supplier for information on breakthrough time for specific

gloves. Gloves must conform to standard EN 374

**Skin and body protection** None under normal use conditions.

Europe - EN Page 5/13

#### PREMIUMFOL EPDM ADHESIVE & SEALANT

Supercedes Date: 24-Nov-2020 **Revision Number 1** 

Respiratory protection

In case of inadequate ventilation wear respiratory protection. Wear a respirator conforming to EN 140 with Type A/P2 filter or better. Ensure adequate ventilation,

especially in confined areas.

Revision date 23-Nov-2020

Organic gases and vapours filter conforming to EN 14387. White. Brown. Recommended filter type:

Environmental exposure controls Do not allow uncontrolled discharge of product into the environment.

## **SECTION 9: Physical and chemical properties**

9.1. Information on basic physical and chemical properties

Physical state Solid **Appearance** Paste

Colour See section 1 for more

information

Odour Characteristic

**Odour threshold** No information available

**Property Values** Remarks • Method

No data available

pН Not applicable . Melting point / freezing point No data available Boiling point / boiling range No data available

> 60 °C Flash point

**Evaporation rate** No data available

Flammability (solid, gas) Not applicable for liquids .

Flammability Limit in Air

Upper flammability or explosive

limits

Lower flammability or explosive No data available

limits

Vapour pressure No data available Relative vapour density No data available Relative density No data available

Water solubility Product cures with moisture

Solubility(ies) No data available **Partition coefficient** No data available **Autoignition temperature** No data available **Decomposition temperature** No data available Kinematic viscosity > 21 mm<sup>2</sup>/s **Dvnamic viscosity** No data available **Explosive properties** No data available No data available **Oxidising properties** 

9.2. Other information

No information available Solid content (%) **VOC Content (%)** No information available

**Density** 1.48 g/cm<sup>3</sup>

## **SECTION 10: Stability and reactivity**

10.1. Reactivity

Reactivity Product cures with moisture.

10.2. Chemical stability

Stable under normal conditions. Stability

**Explosion data** 

Page 6/13 Europe - EN

Revision date 23-Nov-2020

#### PREMIUMFOL EPDM ADHESIVE & SEALANT

Supercedes Date: 24-Nov-2020 **Revision Number 1** 

None.

Sensitivity to mechanical

impact

Sensitivity to static discharge None.

#### 10.3. Possibility of hazardous reactions

Possibility of hazardous reactions None under normal processing.

#### 10.4. Conditions to avoid

Conditions to avoid Protect from moisture. Product cures with moisture.

10.5. Incompatible materials

Incompatible materials None known based on information supplied.

#### 10.6. Hazardous decomposition products

None under normal use conditions. Small amounts of methanol (CAS 67-56-1) are **Hazardous decomposition** 

products formed by hydrolysis and released upon curing.

## **SECTION 11: Toxicological information**

#### 11.1. Information on toxicological effects

## Information on likely routes of exposure

**Product Information** 

Inhalation Based on available data, the classification criteria are not met.

Eye contact Based on available data, the classification criteria are not met.

Skin contact Based on available data, the classification criteria are not met. May cause sensitisation

in susceptible persons.

Based on available data, the classification criteria are not met. Ingestion

#### Symptoms related to the physical, chemical and toxicological characteristics

**Symptoms** No information available.

### **Numerical measures of toxicity**

#### **Acute toxicity**

#### The following values are calculated based on chapter 3.1 of the GHS document

ATEmix (dermal) 19,570.10 mg/kg **ATEmix (inhalation-vapour)** 975.1499 mg/l

#### **Component Information**

	Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
	Trimethoxyvinylsilane 2768- 02-7	LD50 = 7120 -7236 mg/kg (Rattus) OECD 401	= 3360 μL/kg (Oryctolagus cuniculus)	LC50 (4hr) 16.8 mg/l (Rattus) OECD TG 403
1	Dioctyltinbis(acetylacetonate) 54068-28-9	LD50 =2500 mg/kg (Rattus)	LD50 >2000 mg/kg (Rattus)	

### Delayed and immediate effects as well as chronic effects from short and long-term exposure

Europe - EN Page 7/13

Revision date 23-Nov-2020

## PREMIUMFOL EPDM ADHESIVE & SEALANT

Supercedes Date: 24-Nov-2020 Revision Number 1

Skin corrosion/irritation	ı	Based or	n available data, tl	he classification crit	teria are not	met.	
Component Information							
Trimethoxyvinylsilane (27	(68-02-7)						
Method	Species		Exposure route	Effective dose	Exposure	e time	Results
	Rabbit		Dermal	0.5 mL	24 hours		Non-irritant
Sarious ava damagalaw	- irritation F	Paged on	available data, the	a alogoification crite	ria ara not m		
Serious eye damage/eye Component Information	Hillation	aseu on	available uata, trie	3 Classification Cine	lla ale noi m	ei.	
Trimethoxyvinylsilane (27	(68-02-7)						
Method	Species		Exposure route	Effective dose	Exposure	e time	Results
OECD Test No. 405:	Rabbit		eye		24 hours		Non-irritant
Acute Eye	T CODE	ļ			211.00.0		11011 11110111
Irritation/Corrosion		!	<u> </u>				
Product Information  Method	I.	Ozorias		In a course route		Populte	
Method		Species		Exposure route		Results	
OECD Test No. 406: Skir Sensitisation		Guinea pi		Dermal		were ob	
OECD Test No. 406: Skir Sensitisation	1	Guinea pig		Dermal		No sens	sitisation responses oserved
Component Information							
Trimethoxyvinylsilane (27							
Method		Species		Exposure route		Results	
OECD Test No. 406: Skir Sensitisation	1	Guinea pi	g 	Dermal	Dermal		kin sensitiser
Dioctyltinbis(acetylaceton	nate) (54068	-28-9)					
Method	<u>!</u>	Species		Exposure route		Results	
OECD Test No. 429: Skir Sensitisation: Local Lymp	n	роско		Dermal			ensitising
Assay							
Germ cell mutagenicity		Based o	n available data, tl	he classification crit	teria are not	met.	
Component Information							
Trimethoxyvinylsilane (27	(68-02-7)						
Method			Species		Results		
OECD Test No. 471: Bac	terial Revers	 se	in vitro		Not mut	agenic	
Mutation Test						490	

Europe - EN Page 8/13

Revision date 23-Nov-2020

PREMIUMFOL EPDM ADHESIVE & SEALANT

Supercedes Date: 24-Nov-2020 Revision Number 1

Carcinogenicity Based on available data, the classification

criteria are not met.

Based on available data, the classification

Reproductive toxicity criteria are not met.

Component Information							
Trimethoxyvinylsilane (2768-02-7)							
Method	Method Species Results						
OECD Test No. 422: Combined Repeated Dose Toxicity Study with the Reproduction/Developmental Toxicity Screening Test	Rat	Not Classifiable					

**STOT - single exposure**Based on available data, the classification criteria are not met.

STOT - repeated exposure

Based on available data, the classification criteria are not met.

repeated exposure	Dased on ava	based on available data, the classification chiefla are not met.						
Component Information								
Trimethoxyvinylsilane (27	768-02-7)							
Method	Species	Exposure route	Effective dose	Exposure time	Results			
OECD Test No. 413: Sub-chronic Inhalation Toxicity: 90-day Study	Rat	Inhalation vapour		90 days	0.058 NOAEL			

**Aspiration hazard** 

Based on available data, the classification criteria are not met.

## **SECTION 12: Ecological information**

## 12.1. Toxicity

**Ecotoxicity** 

Chemical name	Algae/aquatic plants	Fish	Toxicity to microorganisms	Crustacea	M-Factor	M-Factor (long- term)
Trimethoxyvinylsilane 2768-02-7	EC 50 (72h) > 957 mg/l (Desmodesmus subspicatus) EU Method C.3	LC50 (96h) = 191 mg/l (Oncorhynchus mykiss)	-	EC50(48hr) 168.7mg/l (Daphnia magna)		
Dioctyltinbis(acetylacet onate) 54068-28-9	-	LC50 (96h) =86 mg/L (Static)	-	EC50 (48h) =58.6 mg/L (Daphnia magna)		

Europe - EN Page 9/13

#### PREMIUMFOL EPDM ADHESIVE & SEALANT

Supercedes Date: 24-Nov-2020 Revision Number 1

Revision date 23-Nov-2020

#### 12.2. Persistence and degradability

Persistence and degradability No information available.

reisisterice and degradability	NO IIIIOIIIIalioii avalla	ule.			
Component Information					
Trimethoxyvinylsilane (2768-02-7)					
Method	Exposure time	Value	Results		
OECD Test No. 301F: Ready	28 days	BOD	51 % Not readily		
Biodegradability: Manometric			biodegradable		

#### 12.3. Bioaccumulative potential

Respirometry Test (TG 301 F)

**Bioaccumulation** There is no data for this product.

#### **Component Information**

Chemical name	Partition coefficient	Bioconcentration factor (BCF)
Trimethoxyvinylsilane 2768- 02-7	1.1	-

#### 12.4. Mobility in soil

**Mobility in soil** No information available.

## 12.5. Results of PBT and vPvB assessment

#### PBT and vPvB assessment

Chemical name	PBT and vPvB assessment
Trimethoxyvinylsilane 2768-02-	The substance is not PBT / vPvB
Dioctyltinbis(acetylacetonate) 54068-28-	The substance is not PBT / vPvB

#### 12.6. Other adverse effects

Other adverse effects No information available.

## **SECTION 13: Disposal considerations**

#### 13.1. Waste treatment

methods

Waste from residues/unused

products

Uncured product should be disposed of as hazardous waste. Dispose of contents/container in

accordance with local, regional, national, and international regulations as applicable.

Contaminated packaging Handle contaminated packages in the same way as the product itself.

European Waste Catalogue 08 04 10 waste adhesives and sealants other than those mentioned in 08 04 09

Other information Waste codes should be assigned by the user based on the application for which the product

was used.

## **SECTION 14: Transport information**

Europe - EN Page 10 / 13

#### PREMIUMFOL EPDM ADHESIVE & SEALANT

Supercedes Date: 24-Nov-2020 Revision Number 1

**Land transport (ADR/RID)** 

14.1 UN number or ID number Not regulated14.2 Proper Shipping Name Not regulated

**14.3 Transport hazard** Not regulated

class(es)

**14.4 Packing group** Not regulated

14.5 Environmental hazards Not applicable

14.6 Special Provisions None

**IMDG** 

14.1 UN number or ID number Not regulated14.2 Proper Shipping Name Not regulated

14.3 Transport hazard Not regulated

class(es)

14.4 Packing group Not regulated

14.5 Marine pollutant NP

14.6 Special Provisions None

14.7 Transport in bulk according to Annex II of MARPOL and the IBC Code

Air transport (ICAO-TI / IATA-DGR)

14.1 UN number or ID number Not regulated

14.2 Proper Shipping Name Not regulated

14.3 Transport hazard Not regulated

class(es)

14.4 Packing group Not regulated

14.5 Environmental hazards Not applicable

14.6 Special Provisions None

## **Section 15: REGULATORY INFORMATION**

## 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### **European Union**

Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work

Check whether measures in accordance with Directive 94/33/EC for the protection of young people at work must be taken.

Europe - EN Page 11 / 13

Revision date 23-Nov-2020

Revision date 23-Nov-2020

#### PREMIUMFOL EPDM ADHESIVE & SEALANT

Supercedes Date: 24-Nov-2020 Revision Number 1

Take note of Directive 92/85/EC on the protection of pregnant and breastfeeding women at work

#### Registration, Evaluation, Authorization, and Restriction of Chemicals (REACh) Regulation (EC 1907/2006)

#### SVHC: Substances of Very High Concern for Authorisation:

This product does not contain candidate substances of very high concern at a concentration >=0.1% (Regulation (EC) No. 1907/2006 (REACH), Article 59)

#### EU-REACH (1907/2006) - Annex XVII - Substances subject to Restriction

This product contains one or more substance(s) subject to restriction (Regulation (EC) No. 1907/2006 (REACH), Annex XVII).

	` ` ` ,	, , ,
Chemical name	CAS No	Restricted substance per REACH
		Annex XVII
Diisononyl phthalate	28553-12-0	52[a].

52

Not to be used in toys or childcare articles above 0.1% which can be placed in the mouth by children

#### Substance subject to authorisation per REACH Annex XIV

This product does not contain substances subject to authorisation (Regulation (EC) No. 1907/2006 (REACH), Annex XIV)

#### Ozone-depleting substances (ODS) regulation (EC) 1005/2009

Not applicable

#### **Persistent Organic Pollutants**

Not applicable

#### **National regulations**

#### France

#### Germany

#### Ordinance on Industrial Safety and Health - Germany - BetrSichV

No flammable liquids in accordance with BetrSichV

Water hazard class (WGK) slightly hazardous to water (WGK 1)

#### **Netherlands**

List of Carcinogenic, mutagenic and reproductive toxin substances in accordance with Inspectorate SZW (Netherlands) Not Listed

#### **Denmark**

**Norway** 

#### 15.2. Chemical safety assessment

Chemical Safety Assessments have been carried out by the Reach registrants for substances registered at >10 tpa. No Chemical Safety Assessment has been carried out for this mixture

#### **SECTION 16: Other information**

#### Key or legend to abbreviations and acronyms used in the safety data sheet

Europe - EN Page 12/13

Revision date 23-Nov-2020

#### PREMIUMFOL EPDM ADHESIVE & SEALANT

Supercedes Date: 24-Nov-2020 Revision Number 1

#### Full text of H-Statements referred to under section 3

H226 - Flammable liquid and vapour

H317 - May cause an allergic skin reaction

H332 - Harmful if inhaled

H371 - May cause damage to organs

Legend

TWA TWA (time-weighted average)
STEL STEL (Short Term Exposure Limit)

Ceiling Limit Value
\* Skin designation

SVHC Substance(s) of Very High Concern

PBT Persistent, Bioaccumulative, and Toxic (PBT) Chemicals vPvB Very Persistent and very Bioaccumulative (vPvB) Chemicals

STOT RE Specific target organ toxicity - Repeated exposure STOT SE Specific target organ toxicity - Single exposure

EWC European Waste Catalogue

Key literature references and sources for data

No information available

Prepared By Product Safety & Regulatory Affairs

Revision date 23-Nov-2020

**Indication of changes** 

Revision note Not applicable.

Training Advice When working with hazardous materials, regular training of operators is required by law

Further information No information available

This material safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006

#### Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

**End of Safety Data Sheet** 

Europe - EN Page 13/13